

## ▶ Filter units ▶▶



**A very versatile type**

**TFC ceiling mounted  
particulate filter**

**TROX<sup>®</sup> TECHNIK**  
The art of handling air

## ► The TFC – modular and flexible ►►

### Customised solutions to meet all requirements


Thanks to highly flexible production technologies and many years of experience in the manufacture of state-of-the-art filter units, we can supply customised filter solutions.

### Too deep, too high, too low, too narrow? No problem!


The following overview gives you a small insight into the versatility of the TFC, going much further than the standard range. TROX can deliver exactly the right solution to meet your unique requirements.

Give us a call! We have solutions! We look forward to hearing from you!


### TFC-TC-Standard with vertical spigot




With a raised mounting base for filter depths up to 292 mm




With a special measuring point on the top or side




## TFC-SC-Standard with horizontal spigot




With indented spigot  
for installation in existing ceiling openings




Larger housing design,  
e.g. for filter dimensions 1220 x 610 mm




With a raised mounting base  
for filter depths up to 292 mm




With two spigots  
for larger volume flow rates




Smaller housing design,  
e.g. for filter dimensions 305 x 610 mm



With flat spigot for low ceilings



Raised top section with support angle sections  
for mounting in suspended ceiling



All design versions listed here  
are possible with the following  
filter sizes and many more:

1220 x 610 x 78 / 91  
915 x 610 x 78 / 91  
915 x 610 x 105  
915 x 610 x 150  
915 x 610 x 292  
610 x 610 x 78 / 91  
610 x 610 x 105  
610 x 610 x 150  
610 x 610 x 292  
610 x 305 x 78 / 91  
610 x 305 x 105  
610 x 305 x 150  
610 x 305 x 292



# TROX<sup>®</sup> TECHNIK

The art of handling air

## TROX GmbH

Heinrich-Trox-Platz  
47504 Neukirchen-Vluyn, Germany  
Phone +49(0)2845 2020  
Fax +49(0)2845 202265  
[www.troxtechnik.com](http://www.troxtechnik.com)  
[trox@trox.de](mailto:trox@trox.de)

[www.troxtechnik.com](http://www.troxtechnik.com)